Previous references.
Rev 3&4-03 & 12-38
181-07 & Rev 08 102
~~LR 39-08-33~~
Later references
LR 39 08 33
Revs 14 (1-2)
LR 10-16 (10, 40, 67, 73)

233-08
1911.
(Part)

File No 233

Serial Nos. 16-3, 5-8
10 & 17 of 19.

GENERAL AND REVENUE SECRETARIAT

Serial Nos 16-3, 5.8. 10 & ~~1919~~

Part B for Revenue

SUBJECT.

Extension & shifting of the Kanigiri town.

1) From the Revenue Court No. 2035 dt 14/8/08 (D 1018) submits certain remarks in re the acquisition of Sy Nos 73.74, & 75 of the Nagulakambalapadu village Kanigiri Tk for the extension & shifting of the Kanigiri town in lieu of Sy Nos 150.153 & 158 already sanctioned by Govt.

2) To the Revenue Court No. 1344 dt 29-8-08 Calls for further particulars regarding the acquisition.

3) From Do — No 4444 dt 10.10.08 furnishes the information called for

7) To the Revenue Dy Comr Chitg, Settlement Chief Engr & Sawl Comr Nos 7015-9 and 2358-08 d 24-1-09 Sanctions the acquisition &c. commenced & awards the Dy Comr's proposals relaying out of the new town

8) From the Sawl Comr No. 5773 d 30th June 1909 Recommends that the Govt's proposal to drain the present town of Kanya at a comparatively small cost of R 4000/- may be tried

9) To the Chief Engineer No. 10143 d 9 Sept 10 Forwards a copy of his note & map regarding the measures necessary for improving the town of Kanya and calls for a project prepared on the lines therein suggested

11) From the Do - No. 4690 d 29 Sept 11 Forwards copy of Supdg Engr's letter & enclosures estimating the cost of the proposed improvements at R. 7200 and states that of the 4 years allowed to spend R. 7200/- the necessary detailed estimates will be prepared & the works carried out

12) To the Sawl Comr & President Central Sawl Bd No. 10223 d 16 6 11 Forwards copy of the Chief Engineer's letter with enclosures as urged for the opinion of the Central Sawl Bd

13) From the Dy Comr Chittagong No. 533 d 29 6 11 States in reply that as the health of the town seems to have been better last year than in the previous years, the question of shifting the town to some other site may be over till more sympathy is evinced about the health of the town and that as regards the funds required for the extension of the town the amount is not so a question to be very easily got at

G F S. 11] 1908.

GENERAL AND REVENUE SECRETARIAT

(~~Rev. Sec.~~)
Genl

NOTES.

Genl 233 -08

File. No. ~~32 of 08~~

File Heading

Extension and shifting of the Hosgur Town

From

The Revenue Commissioner in Mysore

No 2035 Dated 14 8 08 Received 17 8 08

Diary No. 1018	Enclos. 4 & 1 P Spare Copies	Serial No 1

Brief Abstract of Letter.

Submits certain remarks in re the acquisition of S nos 73, 74 & 75 of the Nyakalurahalli gosh village, Hosgur Taluk for the extension & shifting of the Hosgur Town in lieu of S nos 150, 155 & 156 already sanctioned by Govt.

NOTES AND ORDERS

X

The acquisition of S no 150 of Hosgur for providing quarters for the officials of the Hosgur Town, was sanctioned by Govt in their Pro no R S 911-3 dated 13 3 1908 Survey nos 155 & 156 of Hosgur were also acquired for the location of the

Notes—First sheet.

GPH—30,000—20-3-0.

G R S. 12]
General and Revenue Secretariat

Rm File No 32 of 1908 — 233 of 1908 — 2

Serial No

Flag I

the declaration statement of
New Hosyur Town of all the 3 S nos 73
150, 155 & 156 was ordered to be published
in G.O no 64 S & Dy 6 4 08 & in accordance
therewith the declaration statement was
published at page 247 Part I of the
Mysore Gazette dated the 9th April 08
The Dy Commr Chitaldrg reports that
from a Sanitary point of view, it was
resolved at a conference held at —
Hosyur on 26 4 08, that the new
town should be located far away from
the low lying water-logged lands &
selected S nos 73, 74 & 75 on the
right side of the Chitaldrg - Harihar
Road for the new extension For reasons
stated in Rev Commr's letter underds-
posal, the latter is not in favor of
the above said proposal viz the selection
of S nos 73, 74 & 75 in lieu of S nos
150, 155 & 156 Subd for orders

22/8/08 2 Have call for a
22/8/08 Sketch showing the situation
of the site now selected
the site already selected
& that of the present town
with its lanes & also
copy of the Panchayat

G R. S. 12]
General and Revenue Secretariat

Rev File No 32 of 1908 — 233 of 1908 — 3

Serial No	
	reasons why 2 nos 150, 155 of 56 should be selected & the B Comm have now been abandoned 22/8/08
3	Draft letter to the Rev Commr in Mysore Subd H&S 2,4/8/08 & Rev 11/8/08
20	
5	The Rev Commr. 1344 dy 27-8-08 Calls for further particulars regarding the acquisition of s nos 73-74 & 75 of the Nayakanahalli Jodr village for the extension of the Hunsur Town.
3	From the Rev Commr No 4144 dy 16/20-10-08 furnishes the information called for.
6	The Dy Commr has submitted a sketch showing the situation of (1) The site now selected (2) the site already sanctioned and (3) the present town & the distance between them He states that the site already sanctioned is at a distance of a furlong from the Hunsumanhalli tank bed road.

sheet

G1 B—50 000—17 3.07

Serial No.

Hyp A

is proposed to be given out for bet cultivation, and thus it will not be suitable from a sanitary point of view, that the site now selected is on drainage on three sides which The site already sanctioned has not got and that some of the leading men of the town have also approved of the selection of the new site. The site has been selected by a Committee consisting of the Dy: Commr, Sanitary Engineer, Divisional Sanitary officer & the Executive Engineer.

2) The Rev. Commr suggests that The question of the selection of the new site is one which should be considered by the Central Sanitary Board.

Submitted

CMA 28/10/08

28/10/08 8 Do B & K for favour of opinion as the question which is the most suitable site as sanitary point is one for the consideration of the Central Sanitary Board.

Comm 27/10/08-09

29-10-08

29/10/08

II Sec

29/10

NOTE—Continue overleaf.

P. T. O.

G R S 12]
General and Revenue
Secretariat

Office Note 233

File No 32 of 1908

8

Serial No

The question as to whether the site now selected is suitable from a sanitary point of view, will have to be ascertained by a reference to the Sanitary Commissioner. This may therefore be unofficially referred to the Sanitary Commr for opinion or for obtaining the opinion of the Central Sanitary Board ~~for their views being obtained and submitted to Govt~~ if considered necessary by him

Lr No. 5-8/08 dated 30/10 31/10 Forwarded for the Sanitary Commr's favour of opinion

3-11-08

By order
H Sreyla Rao
for Secy

3 11 08

sheet

(11—50 (00—1/ 3.07

2 0 no 9

27-11-1908

From a sanitary point of view the new site is decidedly better than the one already sanctioned for the extension of the Hiriyur town. The site now proposed is the same as was selected some years ago by Sir K. Seshadri Iyer and is 30ft. higher than the other site The soil is better, the site is flat, more even and more drainable and is also removed further away from the present town and wet cultivation. A trial well was sunk some years ago, and no water found for some 40 feet. If water supply could be arranged conveniently this site is in every way better than the other The whole town may not shift at once but that is no reason why others who are willing to shift should suffer on their account

2. It must not be forgotten that when houses do spring up in the proposed site, the utmost care should be taken that they conform to all sanitary requirements and that the plans and details are approved by a competent Sanitary Officer before licenses to build are granted. If Government themselves be pleased to have cheap but sanitary houses constructed and let them out on the rent-purchase system, not only would thes houses serve as models but also as an inducement for the poor to quit the old town, and come away to the more healthy locality.

Camp Marikanave,
21st Nov 1908

Serial No

4 Submitted with the Sanry. Comm^rs opinion
The file may now retransferred to Br I
Returning Forwarded to Br I
3/11 2 12 08 Illegd

12 Submitted - The Sanitary Commr is of opinion that the site now selected is much better than the one already sanctioned He states that drainage arrangements have to be made before commencing Construction of houses. He also suggests that Govt should build cheap but sanitary houses which may serve as models.

see Under 00. herewith.

CBR 4/12/08 — 13 Please put up a draft approving of the site now selected, calling for detailed proposals for the drainage of the new town & water supply & the cost thereof in the form in which it should be submitted & will be given in

HK 4/12/08

14 Draft sanctioning as submitted It is not clear from what funds the cost of acquisition should be ~~paid~~ met But in the latter part of para 7 of Govt R 5911-3/R Rev 16-07-2 dy 13-3-08 it is not

n sheet.

G.R. 8 12]
General and Revenue Secretariat

3287 Real File No 233 of 1908

Serial No

that the question will be considered after the necessary plans and estimates are received and the proposals are approved by the Sanitary Board Bgm. The declaration statements will, as usual, also have to issue from Branch I.

Dy 10/12/08 Draft submitted for approval

(Dr 18 Cr) 11 12 08 MMD

9103 / 11 12 1908 Draft approved - Please take the Dewan's approval also before issue MMD 26 Dec 08

(Dewan) Submitted 28 12 08 MMD

1140 5/08 / 28-12-17 (Dr nil) Issue. 21-1-09 MMD

Declaration not required - Vide No. R 5833 & 6 dt 04.

5 To the Rev. Comr, Dy Comr, Chitaldroog Dt, Pres. of Municipal Chitaldroog Dt, Ch Engr Lawy Comrs No. 7085-9/Rel 238-08 & 29-1-09

Sanctions the acqn of S Nos 73, 74 & 75 of Nayakanahosahalli Jodr village Hiriyur Tk for the extension of the town of Hiriyur, and the Dy. Comm's proposals re laying out of the new Town, and requests the Pres. to place

sheet

GEB —50 000—17-3-07

[3 R, S. 12]
General and Revenue Secretariat.

File No. 233 of 1908

Serial No.	
	question of the cost of the town extension before the Foreign Tribunal Board and submit their resolution on the matter.
8	9 Letter No 5772 dated the 20th June copy from the Can Comr
	Recommends that Mr Rice's proposals to drain the present town [illegible] and a Contribution [illegible] of Rs 40000/- may be paid [illegible] the requisition of Nos 73, 74 and 75 have already been settled [illegible] for extension purposes, the Commissioner's proposals regarding the laying out of the new town [illegible] drainage as are unsuited (vide [illegible] Mr Com: Commissioners present proposals may perhaps be referred to the Chief Engineer for favour of opinion -
	22 Forwarded to the Chief Engineer for favour of opinion
	[illegible] 1909. For Secy

(1) Vide Rodda No R 5833 dt 29.08.33 dt 26 2 1909

for [illegible] 1909

Note—Contn sheet.

O.P.B.—30,000—17-5-07

] R S. 12]
General and Revenue Secretariat.

40 60

File No. 233 of 1908

Serial No.

W. O. No: 124 Pol. D. 29/7/09

23 So many schemes have been started and so much correspondence has taken place owing to these things being settled in office in Bangalore, that I am asking to take the file with me to Mercara when I go out on inspection, as I hope to early in September next. The file may therefore be returned to me for consideration later on with my opinion

for Brig. Gen.
for Adjt. Gen. in India
Mysore

Note.—Contn. sheet.

GPB—50,000—17-8-07

G R S 12]
General and Revenue Secretariat

ML File No 233 of 1909

Serial No

24 File resubmitted. It may be kept in Sno. Shelf & forwarded to the Chief Engineer again in September 1909.

Sno shelf

MLD 25 Yes
2/8/09 3 8 09 MLD

26 Submitted to Accountant. Sec'y. The file may, perhaps, be sent to Offg. Chief Engr. Now for opinion.

MLD 27 Forwarded to the Chief Engineer with reference to the note dated 9/7/09
2/9 31/2/9

W O no 498 of 09

M. Anjaneyulu
3 9 09 For Secy.

No 176 PW D - Dt 4/9/09

6/9 28 I visited this town last month in connection with the Fire to see whether Municipal Powers

omitted

It does not seem desirable to remove an old town like this bodily to a new site - Wells are unwholesome and the expense to them would be enormous

I/V 21/3 Drainage into canals is made to cut off seepage from the canal, Jungle vegetation round the Municipal limits should be removed, a supply of potable water could be led on channel from the canal, and vaccination should be introduced, with help of the Police men on duty between the 7th and 10th Dec

If these recommendations meet with approval, detailed proposals & estimates of cost will be submitted

sheet

GPB—50 000 18 5 08

Secy, 16 3 10 R Viswanadha Secy

G. R. S. 12]
General and Revenue Secretariat

File No 233 of 1908

80 12

Serial No

~~Submitted with the unofficial opinion~~
~~of the Chief Engineer~~
Dy sig 29 The recommendations
21/3/10 of the Chief Engineer may
perhaps be approved and detailed
proposals called for
1st Cr) 23 3 10

30
24 3 10 Perhaps it is best to refer
the matter to the Central
5215 Sanitary Board for opinion
28 3 10
Dewan
31 — This may be done — 24/3/10
Either upon or after the report
is read — as the Hon'ble Member may
deem fit 24/3/10

24/3

~~Let a case be forwarded~~
~~Secy~~ ~~Secy~~
32 Please put up draft
referring the matter to the Central
Sanitary Board
23-4 10

33 Draft submitted.
Dy sig 1st Cr) 28 4 10

2

G. R. S. 12]
General and Revenue Secretariat.

80 13

File No. 233 of 1908

Serial No	
1981 30-4-10	Please call for a project from the Chief Engineer for the improvement of the existing town and when it is received, send it to the Central Sanitary Board
	30/4/10
34	Put up draft accordingly to the Chief Engineer 30.4.10.
	Draft put up Letter 35 Issued 3/5/10 4-5-10
40 36	Letter No 1043 dated 5 copy to Chief Engineer Forward a copy of this note & 43 & suggest the measures necessary for improving the town of Hingna and Calls for a project prepared on the lines therein suggested.
41 37.	Letter No 1490 dated the 29 th May 1911 from the Chief Engineer Forwards copy of Executive Engineer's letter & enclosures estimating the cost

NOTE—Contn. sheet.

GPB—55,000—27-4-09

G R S 12]
General and Revenue Secretariat

dcb File No 233 of 1908

Serial No	
	of the proposed improvements at Rs 72000/ and states that of the Govt are willing to spend Rs 72000/ the necessary detailed estimates will be prepared and the works carried out – 3d Submitted with reference to the 1st Commissioner's orders of the 30th April 910 (Page 13 supra) Draft forwarding the enclosures to the Chief Engineer's present letter (in original) to the San. Comr for being placed before the C S Board for opinion is submitted – Put 50 Wks Typed 29 Issue 10 6 11 Issue
12 40	Docket No 10223 Dated 4th June 911 to the San. Comr & Presdy C S Bd – in forwarding Copy of the Chief Engineer's letter with enclosures in original for the opinion of the Central (Sanitary) Board –
13 41	Letter No 533 Dy 29th June 911 from the Dy Comr Cantt Bd &c.
	States in reply to 2d & supra as the health of the town seems to have been better last year than in

GPB—5000—27 4-09

Serial No.

previous years, the question of the loan to some other authority over the same experience is gained about the health of the town, and that as regards the funds required for the loan extension the Municipality is not in a position to bear any portion of it.

62 The opinion of the Central Sanitary Board on the several improvement works suggested by the Chief Engineer may be awaited.

63 In his present letter the Sec. Com. refers incidentally to the necessity for building quarters for the Govt. officials and Govt. Cost & says he will submit proposals in consultation with the Chief Engr. This is a matter to be dealt with in the Rev. Dept. The file may therefore be sent to that Dept. for note.

Mil 50
15/7/14

63 The question of improving the old town or constructing a new town on a different place should be first decided.

Note—Contin sheet.

G R S 12]
General and Revenue Secretariat

Jul File No 233 of 1918

Serial No	
	~~The site on which quarters for officials will be built, if the construction of quarters be sanctioned, will perhaps~~ to some extent on the decision the other question - The reply from the Sanitary Comm^n to reference made from this office may be awaited 1 R Cs 17 7 11 Ille
44	Copy of the D C's letter No 533 dated 29th June 1911 may be sent to the Sanitary Commr & President Central Sanitary Board - and also to the Chief Engineer. Rtd 1877/11
45	Put up draft 19 7 11 Ille
46	Draft submitted. Rtd 50 Rs 22/7/11
47	Draft letter submitted & Docd 45 Issue Rtd 50 Rs 29/7/11 2 8 11 Ille

Sheet

GPP—50,000—12-8-10-

G R 5 12]
General and Revenue Secretariat

46 File No 233 of 1908

Serial No	
14	49 Letter no 6 dated the 4th Aug. 1911 from the San. Comr In reply to serial 12, submits a Copy of the resolution of the Central San. Board approving of the scheme proposed by the Chief Engineer for the Sewerage town improvement
15	50 Letter no 1284-1285 dated 11th August 1911 to the San. Comr and Chief Engineer Forwards Copies of the Dy Commissioner's letter, serial 13 infra
	51 File recommitted for orders with reference to the San. Commissioner's letter serial 14
	52 From the Correspondence that has transpired up till now it is seen that both the Dy Commissioner and the Chief Engineer consider that it is undesirable to remove the Sewerage town bodily to another site & the San. Comr also Concurs in this view the Chief Eng has suggested certain works for

sheet

Serial No

improving the health of the town and those works have been approved by the Central Sanitary Board The points for orders are (1) whether those works will have to be put in hand soon and (2) if so, where is the money to come from In this connection attention is respectfully invited to the Sy Commissioner's latest report (serial 13) wherein he says that "the health of the Bhavnagar town was slightly better during the last year than in previous years and that the Municipality is quite unable to bear any portion of the cost of the town extension. The 53 The financial condition of the Municipality as per current year's Budget (draft) is as follows:-

Opening balance	=	672
Receipts	=	2450
Total	=	3122
Expenditure	=	2550
Closing balance	=	572

Submitted for orders

2450

11

14

Note—Contn sheet

Serial No.

54 The insanitary condition of the Thrayur town calls for immediate attention and the works suggested for its improvement should be undertaken without loss of time. It is not likely that the municipality can find the necessary funds for meeting the cost - The cost may be ordered to be met from the State funds.

(Sd Cr) 24-8-11 Mlle

55 Before according sanction to the proposals approved by the Central Sanitary Board, the D.C should be given an opportunity of expressing his opinion thereon He may be addressed Do plans etc as mates may be sent to him

24/8/11

56 Put up draft please

21 8-11 Mlle

57. Draft D.O submitted

Mod 50 Rs.

58 Issue

21/8/11 22 8 11 Mlle

Note—Contin sheet.

MPS—50,000—12-8-10

G.R.S. 12]
General and Revenue Secretariat

1393 20

Rl File No 233 of 1908

Serial No	
58	D.O. letter No 1804 dated 2nd Septr 1911 to Mr. K. Krishna Iyer, Dy. Comr Chittoor &c
	Forwards for an expression of his opinion Copies of the Supdtg Engrs letter and the Central Sanitary Board's Resolution together with 2 plans
59	Letter No 128 dated 5th Septr 1911 from the Dy. Comr
	Offers his opinion on the several suggestions made for improving the health of the town
60	Submitted for orders
	Debt 50 (8 Cr) 15-9-11
61	13/9/11
62	The old town need not be shifted
+ Rs 7200/	The scheme prepared by the Chief Engineer & approved by the Central Sanitary Board may be sanctioned the Cash to be borne by the State Govt a copy of the D C's letter of 5th Sept to may be forwarded to the Central Sanitary Board
	14/9/11
62	Dewan
63	Agree The proposal should be taken in hand
	17/9/11

3775 21

G R S 12]
General and Revenue Secretariat

Rb File No 233 of 1908

Serial No	
18	14 Letter No 302 dated the 12th Jan 1912 from the Dy Comr, Chittagong. Requests early sanction to the project for water supply to the Hazaree town as much of the unhealthiness of the town is due to the want of supply of good water. (2) The file on the subject was submitted to the Dewan on 18th Sept. 1911 & may this be submitted in continuation. RAS 50 20-1-12 16 Submitted on continuation. Dewan 23-1-12 Rlle

Recd today.
o
3 12

tn sheet

G R S. 12]
General and Revenue Secretariat.

File No. 233 of 1908

Serial No.

(1)

Putup draft

7/3/12

Draft order submitted. It seems also necessary to consult Branch II before issuing the order.

Secy) 8-3-12.

8/3/12

Subject to approval by Secy) 11-3-12

12/3/12

Issue

12 3 12

Entered 6/12.

Note—Contn sheet

GPB—60,000—12-8-10

G R S. 12]
General and Revenue Secretariat.

2nd File No. 233 of 1908

2-2D

Serial No.	
	Approval of the Chief Engineer's proposals. The Cost being debited to State Funds and requests the Chief Engr. to have the necessary detailed estimate prepared and the works put in hand at once.

Note—Contin sheet

GPS—50,000—12-6-10

Rev Comm Form 12.

1908

From

A RUNGASWAMI IYENGAR, Esq., B.A., B.L.,

Revenue Commissioner,

in Mysore

20/8/08

1018

To

The Secretary to the Government of
H H the Maharaja of Mysore,
General and Revenue Departments

Dated 10th

Despatched 11th August 1908

Received

No. 2035
Acq-abs-2

Enclosure No. 4 & D. O.

Submitting with certain remarks
the enclosed Deputy Commissioner's
letter in re the acquisition of
Survey Nos 73, 74 and 75 of the
Nyakalurukalla Jodi Village,
Hunsur Taluk for the extension
and shifting of the Hunsur
Town.

Young & Co., Printers, Bangalore, 4,000—25-11-07

No 2035 Land 4920 Office of the Rev Comr. in Mysore,
Acy-Apr-2 Bangalore 10th August 1908
D 3782A 14th

From

A RANGASWAMI IYENGAR Esq., B A., B. L
Revenue Commissioner in Mysore

To RM 32-08-1

The Secretary to the Government of His Highness
the Maharaja of Mysore,
General and Revenue Departments

Sir, Rl 233-08
SL-1

I have the honor to submit herewith copy of letter No 54 dated 27/28th July 1908, together with the enclosures in original, from the Deputy Commissioner Chitaldrug District, requesting sanction to the acquisition of Survey Nos 73, 74 and 75 of the Mugalurahalli Govt. village in the Hiriyur Taluk, for the shifting and extension of the Hiriyur Town, in lieu of Survey Nos 150, 155 and 156, the acquisition of which was sanctioned by Government in their Proceedings No. R 5911-3 / Rm 186-07-2 dated 13th March 1908 and R 6458 / Rm 186-07-4 dated 6th April 1908 and to state as follows —

In the absence of a good sketch it is

is difficult to locate the position of the site (shown selected) but from the details given in the letter and a reference to the topo sheet, the site is likely to be about one mile from the Salak Butcherry and more than two miles from the Old Town and Travellers' Bungalow, and very inconvenient for people having wet lands on the Southern side of the River. It is therefore likely to be objected to by the majority of the town people and the chances of its attracting the whole of the population are very remote

I have the honor to be,

Sir,

Your most obedient servant,

K Balakrishnan

for Revenue Commissioner

KBK

ks

Grants rule 233 of YM 3

[Letter No 54 dated 27/28th July 1908 from the Deputy Commissioner Chitaldrug District, to the Revenue Commissioner in Mysore]

In pursuance of the instructions contained in paras 7 and 8 of government proceedings No 5911-3-A in 186-07 dated 13th March 1908 for amendment the submission of the proposals for the extension of the Shimoga town, I have the honor to state that a conference was held at Hirayur on the 26th April last consisting of the Sanitary Engineer the Executive Engineer and the Divisional sanitary officers, Shimoga, and myself in view to settle once for all, all questions relating to the sanitary requirements of the new town, water supply thereto, as also to the laying out of roads and conservancy lanes etc we inspected on that date. the 4 sites sanctioned for

for the purpose in government proceedings No 6548—A 1n 186-07 and 5911/R 1n dated the 6th April 1908 and 13th march 1908 respectively and also some of the letter higher up

2 From a sanitary point of view, it was considered necessary to locate the new town far away from the low lying water-logged lands which are likely to breed mosquitoes, and therefore, we unanimously selected survey Nos 73, 74, and 75 on the right side of the Chitaldrug—Harikanive Road for the new extension. This land belongs to the Inyakalasahalli Jodi Village in the Hiriyur Taluk The khata of the Jodi Village reference to charges in the name of Thyagamalleswara Swamy at Hiriyur

Copy of the resolution recorded at the meeting of the conference is forwarded herewith for kind perusal. The Dharmadarsis of the aforesaid temple, who were consulted in the matter

are willing to part with the lands referred to on payment of compensation of twenty times the aggregate amount of assessment on them but the Amildar states that, in case the amount settled by Dharmadarsies be found excessive, it may be reduced I therefore request that you will kindly obtain early sanction of Government to the acquisition of the lands referred to above, as also to the publication of the revised declaration statement herewith submitted in lieu of the one already published at page 247 in the Mysore Gazette of 9th April 1908 the Chief Engineer states that unless sanction of Government to the change of site is obtained, the estimates for these works cannot be prepared

3 I therefore submit that early orders may be passed in the matter

The Circular papers bearing on the subject are herewith submitted for reference and obligy return when done with

I have etc

(Sd.) Sm Bhagwati Shetty

Deputy Commissioner,

Chitaldrug District

Copy 11

Ujjubhai

for Revenue Commissioner

HS

HAP

Proceedings of the meeting of the Conference held at Shillong on Saturday the 25th April 1908

Present –

1. M Chengiah Chetty Esquire BA
Deputy Commissioner
Chittaldroog

President –

2 The Divisional Sanitary Officer, Shimoga

3. The Executive Engineer of the Chittaldrug Division

(N B The Sanitary Engineer, Mr Bhore was also present)

Read

Government Proceedings

No 5911-3/ M.M 186-07-2 dated 13th March 08

sanctioning the proposals of the Deputy Commissioner of the Chittaldrug Dis.

Mc Kar.

of houses for the Hiriyur Taluk Officials at Government Cost and for the Extension of the Hiriyur Town.

Resolution

2. The lands already ordered to be acquired for the purpose and those proposed to be newly acquired were inspected this morning by the officers named above and they were unanimously of opinion that Survey Nos. 73, 74, and 75 belonging to the Nyakalorahalli Jodi village, which stands in the name of Thyagarajaswami at Hiriyur be selected and the new town located on these sites, as these are on a higher level and at a reasonable distance from wet cultivation.

HS

The Muzrai Secretary be addressed on the subject of giving over these lands for the purpose mentioned above.

(Signed) M Chengiah Chetty
Deputy Commissioner

"Copy"

Deputy Commissioner
Chitaldrug District

26]

Rd 253/08

File No Rm

Serial No 32 2/28.

Rd 3782/A

Diary No of letter replied to ~~1018~~

No R 1344

Ends 4V1file

eral and Revenue Secretariat

(~~R. Rm~~)

, the Rd 190

To

The Revenue Commr in Mysore

Date of issue 27.8.1908

Signed by P G Sawer Esqr

Sir,

Adverting to your ~ letter no 2035 dated the 14th ult August 1908, submitting, with your remarks, the proposal for the acquisition of the chitaldrug, ~~Deputy Commrs proposal to acquire~~ S nos 73, 74 & 75 of the Mykalurahalli village in the Honnur Taluk in lieu of S nos 150, 153 & 156 already acquired for the extension of the Honnur Town, I am directed to request you to be so good as to

over

SUBJECT

obtain & submit a sketch
showing the situation of the
sites now selected, & the
of sites already sanctioned
a d(3)/Act of the present
Secy of
town, showing therein the
between them
respective distances from
the old town. I have also
to request you to obtain
& submit information as
to the particular reasons
it has been considered necessary now to abandon
why I
a site
which has been specially
selected by the Dy Commr
have now been abandoned.
such as most
suitable & also more
the Deputy Commissioner
most Attorney
I have the
The
List of enclosures to my
a
letter no 1/1/1/1
are herewith returned for
reference and remembrance

For Secy.

Ffl
24/5/38

For Secy
18/6/38

Copied by
Examined by
2/7/38

MGCPB—30,000—18-2-08

Deputy Commissioner

No. 190.

From

A. RANGASWAMI IYENGAR, Esq., B.A., B.L.

Revenue Commissioner

in Mysore

To

The Secretary to the Government of
H. H. the Maharaja of Mysore,
General & Revenue Departments

Dated 16 October

Despatched

Received

No. 4144

Enclosure No. 2 sheets

Forwarding for the information and acquiescence of Government the Order of the Mysore Taluk Classification District

No 4144

OFFICE OF THE REV COMR IN MYSORE,

Bangalore, 16th October 1908. 190

D 3783

Rh 32-08-3

From

A RANGASWAMI IYENGAR ESQ, BA, BL,
Revenue Commissioner in Mysore

To

The Secretary to the Government of
His Highness the Maharaja of Mysore,
General & Revenue Departments

Sir,

With reference to your letter No.1344/R.M. 32-08-2 dated 27th August 1908 calling for certain particulars and a sketch showing the situation of the site now selected in lieu of the one already sanctioned for the extension of the Hi yur Town in the Chitaldrug District,I have the honor to submit herewith ,copy of letter No.196 dated 1st/5th instant its enclosures in original received from the Deputy Commissio Chitaldrug District,furnishing the required information It is point for consideration whether the question is not one which should be considered by the Central Sanitary Board

I have the honor to be,

Sir,

Your most obedient servant,

For Revenue Commissioner.

H S

Letter No. [illegible] dated 1st/5th October 1908 from the President of Municipalities ,Chitaldrug District,to the Revenue Commissioner in Mysore

- ------ ---- -----

With reference to your No 2914 dated the 31st August, forwarding copy of letter No.1344/R.M 32-08 dated the 27th idem, from the General and Revenue Secretary calling for certain information with a sketch in the matter of the acquisition of site selected for the location of the Hiriyur Town in place of those already sanctioned by Government,I have the honor to submit herewith a sketch showing the situation of (1) the site now selected (2) the site already sanctioned and (3) the present town and the distances between them for the information of Government It will be seen therefrom that the site now selected is within a distance of about 7 furlongs from the Taluk Office and less than two miles from the old town There is no doubt that the site already sanctioned by Government is good enough for the purpose but as it is proposed to breach the Krishnambudi Tank and give its bed measuring about 250 acres for wet cultivation ,it is feared that the sanctioned site which is within a distance of a furlong from the tank bed will be infested with mosquitoes,the bane of the present Hiriyur Town These insects will ,from a sanitary point of view breed malaria and thus affect the health of the people that reside there

When I had gone to Hiriyur in April last to take necessary steps for laying out the town as directed in the penultima para of Government Proceedings No 5911-3/R M 186-07 dated 3rd March 1908,I arranged for a meeting of the Sanitary Engineer, Executive Engineer and the Divisional Sanitary Officer to discuss and settle all questions relating to the subject once for all I view of the proximity of the tank bed referred to above and of the proposal to throw it open for cultivation and also of the large outlay that will have to be incurred in laying the extension it was thought desirable to shift the town a little higher up to the new site which is about 6 furlongs from the tank bed and [illegible] to propose

15

propose building the town on the lands now selected. Further the drainage of the sanctioned site is towards the channel which is likely to be contaminated by the town sewage unless it is carried away by means of a Culvert below or over the ~~channel~~ channel In ~~the~~ the case of the site now selected it has drainage on three sides and there is not this difficulty. Some of the leading men of the town who had accompanied the committee on the date when the site was selected also signified their approval to the new site.

In these circumstances, I beg that you will kindly obtain early sanction of Government for the acquisition ~~of Government for the acquisition~~ of the Survey Numbers referred to in place of those already sanctioned by Government

The enclosures received with the above are retransmitted herewith.

" C O P Y "

For Revenue Commissioner.

H.S.

G.R.No. 28]

160 + 160A

File No. 233-7

Serial No 5-

Diary No. of letter replied to 3783

Proceedings of the Government of His Highness the Maharaja of Mysore

GENERAL AND REVENUE SECRETARIAT

, the 190

Date of issue 29.1.09

Signed by

READ—

(1) G.O. No. 591-3/R.Dn 186-07-2, dated 13-2-08 sanctioning the acquisition of S. No. 150 of Shivapur village for the extension of the town of Shivapur.

(2) G.O. No. 6458/R.Dn. 186-07-4, dated 26-4-08 sanctioning the acquisition of S. Nos. 155 and 156, in addition to S. No. 150 already sanctioned, for the above purpose.

(3) Correspondence ending with letter No. 1664/3 B-1 dated from the Asst. Commr. in Mysore, submitting copy of letter No. 1963 dated

ORDER THEREON—&c.

over

SUBJECT

from the Dy. Comm^r, Chikaldara
District, stating that S. N^os 150, 155 and 156 already
sanctioned for extending the town
of Kiraapur, are too close to the
Krishnambadhi Tank, the bed of
which has been ordered to be given
out for cultivation, that consequently
the site is not suitable from a
sanitary point of view, that a
Committee consisting of the Dy. Com^r,
the Asst. Engr., the Ex: Engr and
the Dist Sanitary Officer have
selected S. N^os 73, 74 & 75 for the purpose,
that being the site which has the advantage of being
drained on 3 sides, and that some of the
leading men of the town, who
accompanied the Committee, have
also approved of the selection of the
site and soliciting sanction
for acquisition of S. N^os 73, 74 & 75
in preference to those already sanctioned.

Order thereon 7085-I
ml 236 dt Dy 2

The acquisition of S. N^os 73, 74
and 75 of Kiraapur village is sanctioned Mg 6
for the extension of the Town of Kiraapur
in lieu of

G R S 27]

GENERAL AND REVENUE SECRETARIAT

(Continuation Sheet draft form.)

S. Nos 150, 155 and 156 in regard to
which declaration (were published in
Notifn No 1459/Rev. 186-07-58
6-4-08 which is hereby cancelled.
The new declaration will be published in due
course.

2 The Dy. Comm^r proposes as regards the
land taking out the new town, its
drainage, water-supply and the conditions
on which permission to build is to be
given, as called for in G.O. No
5911-3/Rev. 186-07-28/3-5-08
to be guided by the opinion of the Dy.
Comm^r regarding the cost of
acquisition and of laying out the new
town as well as the source from which
it is proposed to be made electrical
also be furnished.

3. The President of the Municipality,
Chittaroop District, is requested
to place the matter before the Municipal
Board of Shrirampur and to obtain and
submit their resolution as to whether
willingness to bear the whole or a
portion of the cost of the Municipality is
willing to bear whatever contribution is
thereof -

26 Dec 08

29/12/1908

Asst Secretary
29/12/08

To The Revenue Comm^r
" Dy. Comm^r, Chittaroop with records
" Pres^t of Municipality,
" Chief Engineer
" Secretary Comm^r

Copy to Branch I for information
with declaration & the cancellation from the Gaz

Department of Public Health in Mysore.

190 —o

From ಕೆ ಎಸ್ ವೆಂಕಟರಾಮಯ್ಯ ಎಂ ಎ, ಬಿ ಎಸ್,

The Sanitary Comissioner,
to the Government of Mysore,
Bangalore

To ಜಿ ಸಿ ಬಾಲಸುಬ್ರಹ್ಮಣ್ಯಂ ಅಯ್ಯರ್ ಎಸ್ಕ್ವೈರ್ ಬಿ ಎ,

Secretary to the Govt of H H the
Maharaja of Mysore, Gen & Rev Depts
Bangalore.

Dated 30 JUN 1903
Despatched
Received
General No S 773

Enclosure No —

Forwarding letter no 491
dt 19-6-03 from the Executive Engineer Maidanam
with a plan of the Harcourt town and
recommending the proposal

ಸಂ.-೧೨೨೯-೧೨-೮

Department of Public Health in Mysore.

No. S-773
Enc. 2

OFFICE OF THE SANITARY COMMISSIONER IN MYSORE,

Bangalore, Dated the 3d. L -1907

From

Lt.Col.John Smyth, M.D., I.M.S.,
Sanitary Commissioner to the Government of
His Highness the Maharaja of Mysore,
BANGALORE

To C.S.Balasundram Iyer Esq, B.A.,
Secretary to the Government of
His Highness the Maharaja of Mysore,
General and Revenue Departments,
BANGALORE

Sir,

In my recent report on Hiriyur town I advocated the abandonment of the present site as the difficulties in the way of drainage seemed so insuperable. I have now however the honor to enclose a plan of the town & its environment kindly prepared for me by Mr.Rice together with copy of his No. 481 of 19th June 09. From the latter it will --- be seen that he is of opinion that at a comparatively small cost (Rs.4000) the present site can be effectively drained I have much pleasure in recommending that Mr. Rice's proposal be given a trial. From a careful consideration of the existing conditions I think it is quite a sound proposal and well worth a trial. I know how loth the inhabitants are to shift from the present town site, and if it can be made healthy at so small a cost it will be regarded as a great boon by the people to be allowed to remain in their birth place near the Shrines of thier forefathers.

I have the honor to be,

Sir,

Your most obedient servant,

M.D.,
Sanitary Commissioner to Govt

Docket No. 481 dated 19th June 04 from the Executive Engineer, Marikanave Dvn. to the Sany. Commr.

With reference to his No. 5438 dated 10th Inst. has the honor to return the plan after marking all the wells in blue. There are no other permanent collections of water but water is oozing out from the soil all the way between the Easternmost well shown and the hulla on the west. This oozing is undoubtedly from the Right Irrigation Channel as since water was let into the channel the level of water in the wells in Firiyur has increased by 25 ft. The -- direction of percolation is shown by arrows. The undersigned thinks this can be prevented by digging a good deep drain as shown and carrying it to low ground both in the East & West. Percolation therefore will not reach the town. All that may be necessary is to have the drain so deep that the bed of the drain is below the level of the saturated ground. This being so the drain will pick up all the water that percolates and this can be led into the River on the East & West leaving the town quite free Any how it is worth a trial. The drain will cost about Rs. 4000.

This is in addition to the systematic draining of the lowlying parts on the banks of the River may avoid the necessity of shifting the town which will cost Rs. 50000.

"Copy"

for Sanitary Commissioner.

G.R.i. 26]

File No. 233

Serial No. 10

Diary No. of letter replied to

No. 10163

mel23-08

9.5.10

General and Revenue Secretariat

(ML)

, the 190

Date of issue 9.5.10

Signed by MKM.

To The Chief Engineer of Mysore

Sir,

In forwarding herewith a copy of Board's note regarding the measures necessary for improving the town of Shimoga, I am directed to request you to be so good as to have the project prepared and sent to this office at an early date. I have

the lines thereon suggested.

I have &c.,

ML

for Offg. Secy.

9/5/10

over

SUBJECT

List of enclosures,

Copied by

Examined by

No 4650.

1 abstract SE's letter &c 1045
1 Copy of Report
1 Plan.

MYSORE P W DEPARTMENT
CENTRAL OFFICE

Bangalore, .. 29th May 1911.

From

M VISVESVARAYA, Esq, M.I.C.E,
Chief Engineer of Mysore,
Bangalore.

To

C.S.Balasundaram Iyer, Esq., B.A.,
Offg: Secretary to the Government of
His Highness the Maharaja of Mysore,
General and Revenue Departments.

Sir,

With reference to Government letter No. 10143/M1. 233-08-10 dated the 9th May 1910, I have the honour to forward herewith a copy of letter No.1045 dated the 12th July 1910 from the Superintending Engineer, Northern Circle, with accompaniments and to state that if Government are willing to spend Rs 7,200 on the improvement of the town of Hiriyur, the necessary detailed estimates will be prepared and the works carried out. The works proposed are in accordance with the recommendations made by this office in the note referred to in your letter.

I have the honour to be,
Sir,
Your most obedient servant,

For Chief Engineer of Mysore.

P. 7750

S 780

191 .

MYSORE P W DEPARTMEN

No 4690

From

THE CHIEF ENGINEER OF MYS

Bang

To

The Secretary to Go
Genl & Rev Dept
Bangalore

Dated Bangalore, 29th May

Despatched

Enclosure No 3

SUBJECT

Improvements to
town of Hirigut

G.R.S 26]

File No. 233 -

Serial No. 12

Diary No of letter replied to 7725-8

E5

No. 10223

ml 23-08

By 16-6-11

General and Revenue Secretariat

(MB.)

Q , the 6 6 1911

To

The Law Comr & President

Central Sanit Board

Date of issue 16-6-11

Signed by

Sir,

With reference to your letter No 5773 dated the 30th June 1910 and subsequent reminders about the Virangam town improvement, I am directed to forward herewith for the opinion of the Central Sanitary Board the enclosed letter from the Chairman of the Virangam Municipality and to request that you will be good enough to favour this office with your opinion in the matter at your earliest convenience.

over

SUBJECT.

IV

~~With a copy of the Board's~~
~~Resolution~~ a copy of the
Chief Engineer's letter No 1690
dated the 29th May 1911 and
the enclosures (in original)
suggesting certain works at
a roughly estimated Cost
of Rs 7200/- for improving
the town, and to request you to be so good as to return
Thanks
original papers together
a copy of the Central Board
Board's opinion in the

Yours
Faithfully

Memo
10224
Copy forwarded to
the Chief Engineer for
information

By order

Yours
Faithfully

List of enclosures,

Copied by

Examined by 14/15/4/11

G.P.I.—50,000—23-3-10

1904

From The Deputy Commissioner,
Chitaldrug District.

To The Secretary to Govt,
Judicial Dept:
Bangalore

Dated 29
Despatched 30 January
Received

General No 533
No.

Enclosure No. 1

Reporting on the
Shifting of the Hiriyur
town

N S 23 Civil

Deputy Commissioner's Office
Chitaldrug District

Dated Chitaldrug, 29th January 30th

From

K. Chandy, Esquire, B.A
Deputy-Commissioner
Chitaldrug District

To

Rl 233-08 8 13

C.S. Balasundaram Iyer, Esquire, B.A
Offg Secretary to the Government of His Highness
the Maharaja of Mysore,
General & Revenue Depts
Bangalore

Sir,

With reference to Government Proceedings N° 7085-9/Rl 238-08-5 dated 29th January 09, calling for proposals to lay out the new town of Hiriyur in S N° 73, 74 and 75, and also Municipal Board's resolution re the Cost of laying out the extension of the Hiriyur town, I have the honor to state that from enquiries made, I learn that the health of the Hiriyur town was slightly better during the last year than in previous years and it remains to be closely watched, whether the health of-

of the town will materially improve in course of time Under the existing State of affairs, it is not possible to definitely say whether it is desirable and necessary in the interest of the people to shift the town to some other site The question of shifting the town to a more healthy locality may be over till more experience is gained, as regards the improvement or otherwise of the health of the town, which will be watched

2 As regards the other proposal whether the Municipal Board is willing to bear the whole or a portion of the cost of the extension of the line the Board have in the meeting held on 15th February 1909, resolved that, the income of the Municipality,

Very small, and as the expenditure
to be incurred in this connection
is a heavy item, it is not possible
to bear any cost and that the Govern-
ment be requested to meet the
whole cost Copy of the Board's
resolution is herewith submitted
Further, the people represent that
in case, the town has to be
shifted to some other site, Government
should create conveniences for
water in the new site besides granting
certain other concessions, such as
free grant of sites, house building
advances and materials at cost
price Those matters may also be
over for the present

3 The grant of allowances
to the Builder and other officials

of the Hinyun Taluk sanctioned in Government Order No R 3978-9/LR 133-08-2 dated 19th December 1908, will have to be continued till the question of the unhealthiness of the town is finally decided or till quarters are built for them on the site near the Taluk Cutcherry as sanctioned in Government Proceedings No R 5911-3 - R Dn 186-07-2 of 13th March 1908

4 I am strongly in favor of having quarters built for the officials at the cost of Government and shall submit proposals in consultation with the Chief Engineer for Irrigation in para 5 of the above proceedings of Government are prepared to limit the question apart from the removal of shifting the town The officers have

have repeatedly been requesting me
to get quarters built for them, as they
are now suffering considerably
for want of accommodation

I have the honor to be
Sir,
Your most Obedient Servant
K Chaudry
Deputy Commissioner
Pg Chittagong Hill

Public Health Department.

From

The Sanitary Commissioner
to the Government of Mysore

To

The Secretary to the Govt of H H the
Maharaja of Mysore, Gen. & Rev Depts
Bangalore.

Dated } 4th August 1911
Despatched }
Received

General No 4.

Enclosure No 4 of 2 Maps

Forwarding copy of the resolution of the Central Sanitary Board on the subject of effecting certain improvements to the Hiriyur town.

233-36

213

P.D.C.

No. 6
Enc. 4+2 plans

OFFICE OF THE SANITARY COMMIS
IN MYSORE,

Dated, Bangalore, the 1 F August

From P.S. Achyuta Rao Esq., L.M & S.,
~~Lt.-Col. JOHN SMYTH, M.D., I.M.S.,~~
Sanitary Commissioner to the Government of
His Highness the Maharaja of Mysore,
BANGA

Dy. No. 5, 769.
19 11-1911
SECTION Municipal
FILE No. 230-08
SERIAL No. 164

C.S. Balasundaram Iyer Esq., B.A.,
Secretary to the Government of His Highness the
Maharaja of Mysore, General and Revenue Departments,
BANGAL

Sir,

With reference to your letter No. 10223 Ml. 233-08 dated the 16th June 1911, I have the honor to enclose here in a copy of the resolution of the Central Sanitary Board on the subject of effecting certain improvements to the Hiriyur town at a roughly estimated cost of Rs. 7200/-

2. The enclosures are herewith returned.

I have the honor to be,
Sir,
Your most obedient servant,

P.S. Achyuta Rao

P.H.

Offg. Sanitary Commissioner.

31

Proceedings of the Central Sanitary Board in Mysore.

Read

1. Notes of sanitary inspection of Hiriyur by the Sanitary Commissioner in Mysore, dated the 25th May 1909, advocating the abandonment of the town, in view of the condition of the sub-soil, or the construction of drains to carry off the water that stagnates under present conditions.

2. Letter No. 5773 dated the 30th June 1909 from the Sanitary Commissioner in Mysore to the Secretary to the Government of Mysore, General & Revenue Departments, forwarding proposals for effectively draining the present site of the town and stating that as the inhabitants would be loth to shift from the present town site, the improvement of the health of the locality by the adoption of a drainage scheme would be regarded as a great boon by them

3. Letter No. 10223 Ml 233-08 dated the 16th June 1911 from the Secretary to Government of Mysore, General & Revenue Departments, Bangalore, forwarding copy of letter No. 4690 dated the 29th May 1911, with enclosures, from the Chief Engineer Mysore suggesting certain works at a roughly estimated cost of Rs 7200/- for improvement of the town, consisting of (a) cutting of a trench in order that percolation and seepage from the channel may be deflected and prevented from entering the town, (b) the removal of prickly pear and other rank vegetation on the bank of the river to the north of the town, and cutting small drains to keep the place dry and clean, and (c) the provision of a week's supply of potable water in two or three important centres of the town, by drawing the same from the right channel from about the 10th mile by iron pipes, so that the people might not resort to the

the contaminated river water which gets the surplus from manured cultivation on the banks.

Resolution No. 3

Bangalore dated the 14th August 1911

Resolved that the scheme be approved generally, - the cost being moderate and the proposals sound and worth a trial.

Offg President,
Central Sanitary Board.

P.H.

Letter No.2845 dated the 12th July 1910 from the Superintending Engineer, Northern Circle, to the Chief Engineer of Mysore.

Referring to Chief Engineer's No.4574 dated the 19th May 1910 I have the honour to submit a copy of Marikanave Division Executive Engineer's report together with plan relating to the improvements to the town of Hiriyur, with the following observations -

1. The drainage cut from A to B as proposed, will, to a great extent stop the seepage from the right channel percolating into the inhabited area and can be undertaken

2 The removal of prickly pear and small cuts into the river to drain the bank of the river below the town will certainly improve the parts and keep the surface dry and free from damp a desirable improvement, but as remarked by the Executive Engineer, the Municipality will have to see that the prickly pear does not make its appearance again The estimated cost appears to be low and may require about Rs 1,000

3. Foot bridges necessary and will have to be built

4. The removal of obstruction &c , at a small cost of Rs 100 in the existing channels may be admitted also

5. Instead of going in for an elaborate water supply at a cost of Rs 17,000 it appears to be advisable to draw a supply from the right channel from about the 10th mile as marked on plan by means of iron pipes instead of through an open cut and store a week's supply in two or three important centres in reservoirs so that the townsmen may draw their

supply

supply for household consumption from these reservoirs by means of taps if levels admit, or otherwise instead of resorting to the contaminated river water which gets the surplus from manured cultivation on the banks. Expending about Rs 4,000 in giving practically uncontamined water will not be a waste and may materially improve the health of the town

6. Later on one or two drainage cuts may be tried in low portions of the town also, after the efficiency of the cross cut now proposed is tested

7 The cost of the project as per above observations will roughly amount to Rs 7,200 as noted overleaf against Rs 3,700 estimated by the Executive Engineer

8 Fuller details and correct estimate will be submitted if the proposals are approved

&&&&&&&&&&&&&&&&&&&&&&&&&

" True Copy "

Deputy Chief Engineer,

Mysore P W D.

29 5 11

		Rs
1.	Cutting trench A to B to divert seepage and percolation .	2,000
2.	Two foot bridges across above	100
3.	Improving gradient of two hullas and removing obstructions .	100
4.	Removing prickly pear &c., and drains	1,000
5.	Water supply	.4,000
	Total	7,200

Report on Improving the town of Hiriyur.

The following improvements have been suggested

1. Drainage cuts to cut off seepage from canal
2. Rank vegetation removed
3. Potable water laid on
4 Irrigation prohibited within half a mile

---

1 The plan shows two drainage hallas, one running from the south of the town eastwards, the other from the west- northwards and both emptying into the river.

Before the right bank channel was cut and water let down, the dampness in the town which is now very marked, was not apparent This dampness is therefore said to be directly due to percolation and seepage from the channel The direction of percolation is shown on the plan by arrows. If a trench was cut from A to B connecting the two hallas, this percolation could be deflected and prevented from entering the town This is one of the improvements suggested

The proposed maximum section of the trench is shown on the plan It will be 9 feet deep across the portion where seepage occurs that is, for 1000 feet towards halla A, and from 9 to 4 feet deep from this towards halla B The difference between grade level of channel and bed of trench is 23 feet The soil is soft on the

top 3 feet and below that soft rock is met. Percolation is not likely to extend deeper than 23 feet in a distance of 1800.

The cost of this trench with a couple of foot bridges for the convenience of labourers in the fields will cost Rs 2,000.

2. The bank of the river to the north of the town is overgrown with prickly pear and other rank vegetation This is the public latrine of the town The whole of this very unsalubrious locality is damp and saturated. It is proposed to remove the prickly pear and cut small drains and thus keep the place dry and clean. The Municipality must see that the prickly pear does not get the upper hand again The cost of all this should not exceed Rs 5,00.

3 The population of the town is 1,800 In preparing an up-to-date water supply scheme allowance must be made for a population of 3,000 as this is a rising town The cost of a complete outfit, including filter bed (Rs 2000) Storage Reservoir to hold 15 days supply- (Rs 8,000), Main Pipe line (Rs 3,000) Branch pipe lines (2,000) stand pipes and miscellaneous (Rs 2,000) will be not less than Rs 17,000 The Municipality is poor and cannot contribute liberally and the residents would only contribute a mere fraction, if anything

It seems therefore unnecessary to contemplate such a complete scheme

The source of supply must, in any case, be the 10th mile of Right Bank Channel.

All that the people really require is portable water within a reasonable distance. The supply in any case runs in an open channel all the way from the lake to near Hiriyur a distance of 15 miles There is no reason why it should not be taken into the town in an open channel Then at the end of this channel at some convenient place there would be arrangements for filling several vessels, with a drain to the river People would go to this place for water instead of to the river, as they now do, the water of which is the waste water from fields and very impure The open channel would be securely hedged in or railed in to prevent contamination

Between 3 and 4 units a year would suffice for the town, as people would go to the river for washing and bathing Such a simple scheme would not cost more than Rs 1,000 and there is no reason why it should not meet the case The people are unable to contribute ~~x~~ towards a complete pipe system and unable to maintain one if given

4 Orders have already appeared regarding the prohibition of irrigation within the half a mile radius

5 The cost of these improvements therefore, with the cheapest means of water supply will be -

	Rs
(1) Cutting trench A to B to divert seepage and percolation	2,000
(2) Two foot bridges across above	100
(3) Improving gradient of two halls and removing obstructions	100
(4) Removing prickly pear &c , and drains	500
(5) Water supply	1,000
Total	3,700

(2)

File No. 233-0

Serial No. 15



1-08 8/8/11

Prelim C.B.D.

for Engineer

Lea to for

Confirm

e No. 10223 ~~Inc 233-08~~

Cy 10224 ~~Inc 238-08~~

33 dated

from the

Engr Distt,

for reference

& dated

7-5

his views

over

about the shipping of the
Niagara stores to some other
side, and other Connected
subjects

I have &c

Jno

Inclosure

List of enclosures

Copied by

Examined by

GPO—60,051—23-9-10

No 1804
Secl 233-08-16

9-2-94

Dear Sir,

With reference to your letter No 533 dated the 29th June 94 about the Victoria Town Improvement, I am directed to forward herewith for an expression of your opinion copies of the marginally noted letters together with 2 plans as original & about the Chief Engineer's scheme of improving the health of the town by executing certain works at a roughly estimated cost of Rs 2000/-

Yours truly
Secy

Letter No 1065 dt 12th July 94 from the Secy of Improvement Trust Committee, to the address of the Chief Engr & its enclosures

D. 94

Two plans may be wanted for reference

2 to Chief Engr

cfd 22/1/94


190
From
To
Dated
Despatched 5 September 1911
Received
General No 128
No.
Enclosure No. 2 Plans

DIARY No 1393
19/1-19/2
SECTION 2nd
FILE No 233-08
SERIAL No 17

Office of the Deputy Commissioner,
Chitaldroog District.

Dated Chitaldroog, 5th September 1911.

From

K Krishna Iyer Esquire,
Officiating Deputy Commissioner,
C H I T A L D R O O G.

To

C S. Balasundaram Iyer Esquire B. A.,
Officiating Secretary to the Government of
His Highness the Maharaja of Mysore,
General and Revenue Departments,
B A N G A L O R E.

Sir,

With reference to your D O. letter No 1804/Ml. 233-08 dated 2nd September 1911, calling for an expression of my opinion on the proposals for improving the health of the town of Hiriyur, contained in the Superintending Engineer's (Norther Circle) letter No 1045 dated 12th July 1910 to the address of the Chief Engineer, I have the honor to state as follo

2 The present increased unhealthiness of the town is in a very gre measure found to be due to dampness The unhealthiness is noted to have increased since the construction of the Right Channel of the Marikanve Reservoir passing so close to the town The peculiarity of the soil is such that it not only allows the easy percolation of water from the Righ Channel but retains a great deal of the moisture.

3 A proper drainage of the town area and the prevention of percola of water from the Right Channel, must therefore be the measures that are calculated to improve considerably the healthiness of the town The per lation of water from the Right Channel is proposed to be prevented by me of a trench The depth to which this trench should reach, is a matter detail which can only be settled upon the actual conditions found to ex as the work goes on

4 The removal of the prickly pear growing in the Northern porti the townand small cuts to drain the river bank, will improve this area

a very great extent The low-lying portion of the town should as well be drained by similar drainage cuts These are quite as necessary as the cuts on the Southern side, to keep the town area quite dry and healthy, and this need not necessarily be postponed till the efficacy of the cross cut is tested as observed by the Superintending Engineer It is far better to take up all the necessary improvements on hand at the same time instead of leaving some of them to stand over,

5 Another important question affecting the health of the townspeople, is the water supply and the proposal to convey water to the town from about the 10th mile of the Right Channel, by means of iron pipes instead of by an open channel as was proposed by the Executive Engineer, Marikanve Division, is certainly a far better one There should be three cisterns to store up water instead of two and in deciding upon the capacity of these cisterns care must be taken to see that they are capable of holding a sufficient quantity of water that would last ~~all~~ during the longest period at any time in which the channel may have to be closed for necessary repairs

6 In calculating the quantity of the water required for use, a very liberal margin should be given over what is now found to be the actual requirements of the town, in view of the probable increase in population and the fact that once water is laid on, the people will use this water even for washing and bathing purposes in preference to the river water, as going to the river for such purposes would come to be considered as too laborious a task

It is essential that only filtered water should be supplied These improvements, I am of opinion, will be a very great advantage and tend to improve the health of the town obviating the necessity of shifting the site of the town itself which means enormous cost and trouble and which proposal, the inhabitants of the town were reluctant to accede to

7 The plans are herewith returned as requested in your D O

3773

No 302

1911-1912
SECTION Land
FILE No. 235-04
SERIAL No. 18

Office of the Deputy Commissioner,
Chitaldroog District.

Dated Chitaldroog, 12th January 1912.

13

om

K. Chandy Esquire B. A.,
Deputy Commissioner,
C h i t a l d r o o g.

C. S. Balasundaram Iyer Esquire B. A.,
Officiating Secretary to the Government of
His Highness the Maharaja of Mysore,
General and Revenue Departments,
B a n g a l o r e.

I have the honor to state that it is learnt that the Hiriyur
m water-supply project submitted by the D. P. W. is pending before
ernment.

9/393.
8 15/9

2 The townspeople who are suffering much for want of good
n' ing water pray for early orders in the matter. It is needless to
mit that much of the unhealthiness of the town is due to the want of
ply of good water.

I request therefore that you will be so good as to move the
nt to sanction the project, at earliest convenience, so that the
be taken up soon.

I have the honor to be,
S I R,
Your most obedient servant,

Deputy Commissioner,
Chitaldroog District.

S.V.

1912

From The Deputy Commissioner
Chanda

To The Secretary to the Gov
C.P. the Maharaja of Nagpu
General and Revenue Depart

Dated 12 / 12 Bunga

Despatched 13 / 12

Received

General No 302

No.

Enclosure No.

Regretting to move
Government to sanction
Water supply proposal of the
early

GPE—1,50,000—23-6-11

13/8 / 12 / 13 46

C.R.S 28]

Govt No 703992 File No 233-
Serial No 19
47442-11-1
47 W 23-3-12

Diary No of letter replied to 1393

Proceedings of the Government of His Highness the Maharaja of Mysore

GENERAL AND REVENUE SECRETARIAT
(Jud.)

Bg. , *the* 7. 3 19 12

Date of issue 12 3 12

Signed by MVR LMR

READ— Correspondence ending with letter No 128 dated the 5th September 1911 from the Dy. Comr. Chitaldrug, Siddesh, relative to the sanctioning of ~~ORDER PINJEON No~~ improvement of the Hiriyur town.

Order thereon 6664 Jud 33 dt 9/4/12
Government

SUBJECT

GPB- 10 000 20 9 10

3/3/12
C813

We had under consideration the question of improving the sanitary condition of the Hiriyur town which has become unhealthy owing to dampness caused by percolation and seepage from the right channel of the Harikanave reservoir. The original proposal was to shift the town from its present position. This did not however find favour with the townspeople and the present Chief Engineer also considered it undesirable to remove the town bodily to a new site. He suggested certain alternative proposals and the rough estimates prepared on the lines of those suggestions provide for the following works:-

suggested measurements at an estimated cost Rs 7,200

(1) Cutting a trench to divert seepage and percolation — Rs 2000

(2) Two foot bridges across the stream — Rs 100

GRS 27]

GENERAL AND REVENUE SECRETARIAT

(*Continuation Sheet draft form.*)

3, the provision of Bore holes and sinking shafts. Rs 1500
4, Sinking of wells by hand Rs 1500
5, Water supply Rs 4000
Total Rs 7200

These have been approved by the Central Sanitary Board in these circumstances, Govt are pleased to approve of the Chief Engineer's proposals and to sanction a sum of Rs 7200/- for the purpose out of the State Funds. The Chief Engineer is requested to have the necessary detailed estimate prepared and the works put in hand at once.

direct that the improvements be carried out at the cost

Secy

2, The Chief Engr of Mysore, the Govt of the 2 plans
" Dy Commr, Chitaldrug D-2
" Executive through Rly
" Sanitary Commr

LR 1000- 3-11

15) From the Sanit Cont. No 6 d 4.8.11 Enclosing a copy of the resolution of the Central Sanit Bd approving of the scheme proposed by the Chief Engr for the improvement of the Kanpur town

16) To the Sanit Cont & the Chief Engr. No 1254-d 11/8/11. Forwards copies of the Dy Commr's D.O. to Mr Gibbons Engr Dy Cont Clerk No 1806d 2 9 11. Forwards for an expression of his opinion Copies of the Suggestions letter & the Central Sanit Bd's resolution together with 2 plans

17) From the Dy Cont. No 1208d 5.9.11 Offers his opinion on the several suggestions made for improving the health of the town

19) To the Chief Engr
Dy Cont Clerk
Complt Humayun
Sanit Cont
} No. 1664-7 d 14/3/12

Approval of the Chief Engrs proposals the Cost being debited to State Funds & requests Mr Engr to have the necessary detailed estimates prepared & the works put on hand at once

P. Jamiyat
4" June